

THE NEW  
**JIMMY**  
ALLGRIP  
PRO

SUZUKI  
**Safety Support**  
Preventive safety technology



  
**SUZUKI**  
By Your Side



Nobody but **Jimny**

Ready to conquer the wild. Built to tackle the harshest weather and terrain, the Jimny goes where other vehicles fear to tread. Take on nature's challenges, unleash your spirit of adventure, and get ready to explore.



EXTERIOR FEATURE



#### LED headlamps with washers (GLX)

Take pride in the Jimny's heritage, symbolised by its iconic round LED headlamps with standard washers for confident driving through rough terrain.



#### Optimized bumper design

Angled bumper edges increase wheel clearance for confident obstacle climbing, while durable moulded black material protects the body from stone chips and scratches.



#### Practical drip rail

The Jimny is ready for all-weather adventures, with a drip rail that keeps you dry by preventing water from dripping off the roof when entering or exiting.



#### 15" Alloy Wheels

The 15-inch alloy wheels with a dark gray metallic finish complements the Jimny's rugged styling, and flared wheel arch moldings and side sill splash guards help shield the body from mud and gravel.



#### Upright A-Pillars

Upright A-Pillars increases your field of vision and reduce blind spots, while the minimally slanted windshield helps cut glare from the overhead sun.



#### Square Bonnet

The flat square bonnet contributes to heightened situational awareness on uneven ground because of the full width of the vehicle is always in view.



INTERIOR FEATURE

#### Stay focused on what matters most

In the Jimny, there's little to distract you from driving. Its stylish black interior is humble yet handsome, and the controls are designed for quick and easy operation, even when wearing gloves.

#### Down-to-earth design

Relish the sheer pleasure of simple, straightforward and sensible design. Colours are minimal. Every detail is thoughtfully and attractively crafted to support serious off-roading.



#### Touchscreen Display Audio

Both 9-inch and 7-inch versions\* are available, offering similar core functionality, and the smartphone linkage display audio works with Apple CarPlay and Android Auto™, allowing the use of various smartphone applications.

#### Practical rear storage

The Jimny's versatile interior keeps you ready for anything, with an expandable, easy-clean rear storage area, wide flat load space, accessory mounting points and rear power socket, plus handy front-seat storage, charging ports and a sturdy passenger assist handle for everyday convenience.



#### Handy front seat storage

Everything is within easy reach, with convenient pockets and trays for personal items, USB and accessory sockets for charging, and a sturdy ergonomic handle to support the front passenger when entering or exiting.



## As tough as they come

Even in the mountains, forest, and sand dunes, Jimny has the power, handling stability and roadholding capability you need to take on the most challenging and demanding terrain.

### 1.5 Petrol Engine

The Jimny features a proven 1.5 liter engine, tuned for high-torque off-road driving and fuel efficiency.

### 4AT

The 4 speed Automatic transmission is matched with the engine with refined transmission components that reduces friction and enhance fuel efficiency.

### 5MT

The manual transmission system has optimized gear ratios and also offers fuel efficiency. The shift lever is designed to reduce vibration and has a direct shift feeling.

### ALL GRIP PRO

Jimny's ALL GRIP PRO 4WD system lets you handle all kinds of terrain. In 2WD Mode, it provides smooth, quiet, fuel efficient power for driving on paved roads. In 4WD mode, it offers you a choice of high-range and low-range transfer gears. High-range 4WD provides additional traction for driving on dirt or gravel trails, while low-range 4WD delivers maximum torque for traversing soft sand and mud or steep, rocky terrain.

### High Rigidity Ladder Frame

The ladder frame is specifically designed to meet demands of off-road driving through rough terrains.

### 3-link rigid axle suspension and coil spring


The suspension system features rugged 3-link design, with rigid front and rear axles and heavy duty coil springs on all four wheels.

### Ample Ground Clearance

With ample ground clearance and generous departure, ramp breakover, and approach angles, Jimny's body and chassis design reduces the chance of underbody and bumper damage when traversing extremely uneven terrain.


### Hill Hold Control

This feature prevents the vehicle from rolling backward for approximately two seconds to give you time to move your foot from the brake pedal to the accelerator pedal.



### Hill Descent Control

When going downhill this feature automatically applies brake as needed to maintain a fixed speed, allowing you to focus on steering and obstacle avoidance as you descend.



### Brake LSD Traction Control

Cover slippery ground with confidence. If two wheels diagonal from each other lose grip while you're travelling over slippery surfaces, this feature is designed to automatically brake the slipping wheels and redistribute torque to the other two wheels, allowing the Jimny to make its escape.

## PERFORMANCE

## SAFETY

\*Illustration of inflated airbags is approximate, side and side curtain airbags.



## Always on guard

In town and in the country, you'll enjoy peace of mind knowing that you, your passenger and your vehicle are protected by a full range of safety features.

### SRS Airbags

Jimny is equipped with full complement\* of SRS airbags, including front and side airbags for the driver and front passenger, and side curtain airbags for occupants of both the front and rear seats.

### Front wheel slippage



### Rear wheel slippage



### Parking Sensor

Ultrasonic sensors in the front and rear bumper detects obstacles when parking, and an audible beeping sound warns the driver as you approach the obstacle.




### Electronic Stability Programme

ESP technology helps you control the vehicle during cornering and assist you in maintaining control and stability on loose or slippery road surfaces. If wheel slip is detected, ESP automatically regulates engine torque and selectively applies brakes to help you maintain control.

## Suzuki Safety Support

The new Jimny is equipped with the Suzuki Safety Support System, that's composed of various features for a safe and comfortable ride.




### Dual Sensor Brake Support II (DSBS II)

Using millimetre-wave radar and a monocular camera, the system detects vehicles, motorcycles, bicycles and pedestrians ahead, providing audio-visual alerts and automatically assisting or applying braking to help reduce collision risk and impact severity.

Note: There is a limit to the ability of the millimetre-wave radar and monocular camera to detect obstacles and lanes, and control the vehicle. Please do not rely on the system; **always drive safely**.

### Lane Departure Prevention

LDP detects lane markings and provides steering assistance if the Jimny begins to drift, helping keep the vehicle centred in its lane.




### Lane Departure Warning

At speeds of approximately 60 km/h or higher, the Jimny alerts you if you unintentionally drift from your lane by vibrating the steering wheel or issuing audio and visual warnings to encourage safer driving.



### Weaving Alert

During long drives, the system monitors driving patterns and sounds a buzzer with a dashboard warning if abnormal drifting within the lane is detected.



### High Beam Assist

This feature enhances night driving by automatically switching the headlights between high and low beams based on lighting conditions and nearby vehicles\*.

\*When travelling 30km/h or faster with the headlamp switch in auto position





## MAJOR SPECIFICATIONS

DIMENSIONS			GL	GLX
Overall length	Front bumper to rear bumper	mm	3,480	
Overall width		mm	1,645	
Overall height		mm	1,725	
Wheelbase		mm	2,250	
Tread	Front	mm	1,395	
	Rear	mm	1,405	
Minimum turning radius		m	4.9	
Minimum ground clearance		mm	210	
Approach angle		deg.	37	
Ramp breakover angle		deg.	28	
Departure angle		deg.	49	
ENGINE				
Type			K15B	
Number of cylinders			4	
Number of valves			16	
Piston displacement		cc	1,462	
Maximum output		kW(Ps)/rpm	75 (101) / 6,000	
Maximum torque		N·m/rpm	130 / 4,000	
Fuel distribution			Multipoint injection	
TRANSMISSION				
Type			5MT	4AT
Drive system			4x4 ALL GRIP PRO	
CHASSIS				
Steering			Recirculating ball	
Brakes	Front		Solid disc	
	Rear		Drum, leading and trailing	
Suspension	Front		3-link rigid axle with coil spring	
	Rear		3-link rigid axle with coil spring	
Tyres			195/80R15	
CAPACITY				
Seating capacity		persons	4	
Luggage capacity	Max. volume	litres	830	
	Rear seatback folded (VDA method, w/o luggage box)	litres	377	
	Rear seatback raised (VDA method, w/o luggage box)	litres	85	
Fuel tank capacity		litres	40	
WEIGHTS				
Kerb weight		kg	1,095	1,110
Gross vehicle weight		kg	1,435	

## MAJOR EQUIPMENTS

CHASSIS			GL	GLX
Tyres and wheels	195/80R15 + alloy wheels		S	S
Spare tyre and wheel	195/80R15 + alloy wheel		S	S
EXTERIOR				
Front grille	material colour		S	S
Wheel arch extensions	material colour		S	S
Drip rails			S	S
Outside door handles	Body colour		-	S
	Black (Unpainted)		S	-
Tailgate opener	Handle-operated		S	S
VISIBILITY				
Headlamps	Halogen multi-reflector		S	-
	LED projector		-	S
Headlamp levelling device	Manual		-	S
Automatic lamps			S	S
Lamp washer			-	S
Fog lamps + Daytime Running Light			S	S
Wipers	Front: 2-speed (low, high) + intermittent + washer		S	S
	Rear: 1-speed + washer		S	S
Rear window demister			S	S
Outside door mirrors	Black (painted)		-	S
	Black (Unpainted)		S	-
	Electrically adjustable		S	S
	Electrically Fold		-	S
	Heater		-	S
Day/night rearview mirror	Manual dimming		S	S
STEERING AND INSTRUMENT PANEL				
3-spoke steering wheel	Urethane		S	-
	Leather covered		-	S
	With audio controls		S	S
	With adaptive cruise control		S	S
	Tilt-adjust		S	S
Power steering			S	S

Tachometer			S	S
Information Display	4.2 colour LCD display		S	S
	Clock		S	S
Light-off and key reminder	Alarm		S	S
Seatbelt reminder	Lamp & alarm	Driver	S	S
		Passenger	S	S
		Rear	S	S
Door ajar reminder	Lamp		S	S
Low fuel warning	Lamp		S	S
DRIVING AMENITIES				
Electric windows (Front)	Driver's side (up/down auto)		S	S
	Passenger's side		S	S
Central door locking (including tailgate)	Switch (driver's side)		S	S
Remote-control door locks	With hazard lamp answerback function		S	S
Air conditioner	Manual		S	-
	Auto		-	S
Heater			S	S
Pollen filter			S	S
Gear shift indicator (AT)			-	S
Audio	7" WGA Display Audio		S	-
	9" HD Display Audio		-	S
	Connectivity	USB	S	S
		Bluetooth	S	S
		Apple Carplay	S	S
		Android Auto	S	S
	Speaker (x2)	Front	S	S
	Antenna (mounted at rear of roof)		S	S
BT Microphone	Overhead microphone		S	S
Adaptive Cruise control			S	S
INTERIOR				
Cabin lights	Front cabin light (3-position)		S	S
Driver's sun visor	With ticket holder		-	S
	With vanity mirror		-	S
Passenger's sun visor			S	S
	With ticket holder		-	S
	With vanity mirror		-	S
Assist grips	Passenger's side		S	S
	Rear x 2		S	S
Cup holder	Centre console		S	S
Shift knob	Urethane		S	S
	With chrome		S	-
	With piano black		-	S
12V interior accessory socket	Centre console x 1		S	S
	Luggage room x 1		-	S
USB socket	Center console x 1		S	S
Remote fuel lid opener			S	S
Inside door openers	Chrome		S	S
SEATS				
Front seats	Walk-in mechanism (passenger's side)		S	S
Rear seat	50:50-split single-folding		S	S
	Head restraints x 2		S	S
Seat upholstery material	Fabric		S	S
LUGGAGE AREA				
Luggage Box (for Flat Floor)			-	S
SAFETY AND SECURITY				
SRS front dual airbags			S	S
SRS side airbags			S	S
SRS curtain airbags			S	S
Suzuki Safety Support	Dual Sensor Brake Support II		S	S
	- Collision Damage Mitigation Brake		S	S
	- Advanced emergency brake		S	S
	- Pedestrian / Cyclist detection		S	S
	Emergency Brake Function		S	S
	Weaving Alert		S	S
	Lane Departure Warning		S	S
	Lane Departure Prevention		S	S
	Automatic High beam		S	S
	Front: 3-point ELR seatbelts		S	S
Seatbelts	- with pretensioners and force limiters		S	S
	Rear: 3-point ELR seatbelts x 2		S	S
	- with pretensioners and force limiters		S	S
ISOFIX child seat anchorages			S	S
Pedal Release System			S	S
Side impact door beams			S	S
ABS			S	S
ESP®**			S	S
Hill hold control			S	S
Hill descent control			S	S
Brake assist function			-	S
Shift lock/key interlock (AT)			-	S
High-mount stop lamp			S	S
Parking Sensor	Front		S	S
	Rear		S	S
Reverse Camera			S	S
Immobilizer			S	S

JIMNY GLX TWO-TONE						JIMNY GLX MONOTONE			JIMNY GL MT		
AVAILABLE COLORS											
	KINETIC YELLOW/ BLUISH BLACK PEARL	CHIFFON IVORY METALLIC / BLUISH BLACK PEARL	MEDIUM GRAY	JUNGLE GREEN	WHITE	CHIFFON IVORY METALLIC	MEDIUM GRAY	JUNGLE GREEN	WHITE		



Specification on this brochure are based on the latest available information at the time of production. Photos and Colors in this brochure do not exactly match actual vehicle due to the printing process. Please consult your authorized Suzuki dealer on vehicle specifications. We reserve the right to make changes without prior notice or obligation. Printed February 2026

For Inquiries, please contact: